

```

<?xml version="1.0" encoding="UTF-8" ?>
- <definitions xmlns:tns="http://www.qwest.com/ima/XMLSchema"
  xmlns:wsr="http://www.openuri.org/2002/10/soap/reliability/"
  xmlns:mime="http://schemas.xmlsoap.org/wsdl/mime/"
  xmlns:soap12="http://schemas.xmlsoap.org/wsdl/soap12/"
  xmlns:http="http://schemas.xmlsoap.org/wsdl/http/"
  xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:soap12enc="http://www.w3.org/2003/05/soap-encoding"
  xmlns:conv="http://www.openuri.org/2002/04/wsdl/conversation/"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:s="http://www.w3.org/2001/XMLSchema"
  xmlns="http://schemas.xmlsoap.org/wsdl/"
  targetNamespace="http://www.qwest.com/ima/XMLSchema">
- <types xmlns:tns="http://www.qwest.com/ima/XMLSchema"
  xmlns:wsr="http://www.openuri.org/2002/10/soap/reliability/"
  xmlns:http="http://schemas.xmlsoap.org/wsdl/http/"
  xmlns:soap12="http://schemas.xmlsoap.org/wsdl/soap12/"
  xmlns:mime="http://schemas.xmlsoap.org/wsdl/mime/"
  xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:soap12enc="http://www.w3.org/2003/05/soap-encoding"
  xmlns:conv="http://www.openuri.org/2002/04/wsdl/conversation/"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:s="http://www.w3.org/2001/XMLSchema"
  xmlns="http://schemas.xmlsoap.org/wsdl/">
- <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
  xmlns="http://www.qwest.com/ima/XMLSchema" elementFormDefault="qualified"
  targetNamespace="http://www.qwest.com/ima/XMLSchema">
  <xs:element type="TEXT17_Type" name="AACTEL" />
  <xs:element type="TEXT100_Type" name="AAI" />
  <xs:element type="TEXT255_Type" name="ACC" />
  <xs:element type="TEXT3_Type" name="ACNA" />
  <xs:element type="TEXT1_Type" name="ACT" />
  <xs:element type="TEXT17_Type" name="ACTEL_NO" />
  <xs:element type="TEXT11_Type" name="ACTL" />
  <xs:element type="TEXT1_Type" name="ADI" />
  <xs:element type="ADMIN_GRP" name="ADMIN_INFO" />
  <xs:element type="TEXT1_Type" name="AENG" />
  <xs:element type="TEXT1_Type" name="AFT" />
  <xs:element type="TEXT1_Type" name="AGAATH" />
  <xs:element type="TEXT8_Type" name="AHN" />
  <xs:element type="TEXT1_Type" name="ALBR" />
  <xs:element type="TEXT15_Type" name="ALCON" />
  <xs:element type="TEXT6_Type" name="ALI" />
  <xs:element type="TEXT106_Type" name="ALOC" />
  <xs:element type="TEXT15_Type" name="ALT_IMPCON" />
  <xs:element type="ALT_IMP_GRP" name="ALT_IMP_INFO" />
  <xs:element type="AN_Type" name="AN" />
  <xs:element type="TEXT11_Type" name="APOT" />
  <xs:element type="TEXT9_Type" name="APPTIME" />
  <xs:element type="TEXT10_Type" name="APT_CON" />

```

```
<xs:element type="TEXT25_Type" name="AUTHNM" />
<xs:element type="AUTHORIZATION_GRP" name="AUTHORIZATION_INFO" />
<xs:element type="TEXT1_Type" name="BA" />
<xs:element type="TEXT16_Type" name="BAN1" />
<xs:element type="TEXT16_Type" name="BAN2" />
<xs:element type="BA_BLOCK_GRP" name="BA_BLOCK_INFO" />
<xs:element type="TEXT5_Type" name="BC" />
<xs:element type="TEXT5_Type" name="BE" />
<xs:element type="TEXT1_Type" name="BI1" />
<xs:element type="TEXT1_Type" name="BI2" />
<xs:element type="TEXT15_Type" name="BILLCON" />
<xs:element type="TEXT25_Type" name="BILLNM" />
<xs:element type="ADDR_BASE5_GRP" name="BILL_ADDR_INFO" />
<xs:element type="BILL_GRP" name="BILL_INFO" />
<xs:element type="TEXT15_Type" name="BLDG" />
<xs:element type="TEXT32_Type" name="BLOCK" />
<xs:element type="TEXT12_Type" name="BOX" />
<xs:element type="TEXT1_Type" name="BRO" />
<xs:element type="TEXT38_Type" name="CABCONN" />
<xs:element type="TEXT2_Type" name="CABCONNTYP" />
<xs:element type="CABLE_GRP" name="CABLE_INFO" />
<xs:element type="TEXT4_Type" name="CALA" />
<xs:element type="CAPTION_SLU_INDENT_GRP" name="CAPTION_SLU_INDENT_INFO" />
<xs:element type="TEXT18_Type" name="CB" />
<xs:element type="TEXT4_Type" name="CC" />
<xs:element type="TEXT3_Type" name="CCNA" />
<xs:element type="CCNA_AUTH_INFO_GRP" name="CCNA_AUTH_INFO" />
<xs:element type="TEXT54_Type" name="CFA" />
<xs:element type="WTN_Type" name="CFTN" />
<xs:element type="TEXT1_Type" name="CHC" />
<xs:element type="TEXT1_Type" name="CIP" />
<xs:element type="TEXT5_Type" name="CIR" />
<xs:element type="TEXT32_Type" name="CITY" />
<xs:element type="TEXT44_Type" name="CKR" />
<xs:element type="TEXT25_Type" name="CLN" />
<xs:element type="TEXT8_Type" name="CMSID" />
<xs:element type="CONTACT_GRP" name="CONTACT_INFO" />
<xs:element type="TEXT5_Type" name="COS" />
<xs:element type="TEXT20_Type" name="CPE_MFR" />
<xs:element type="TEXT20_Type" name="CPE_MOD" />
<xs:element type="CRS_FORM_GRP" name="CRS" />
<xs:element type="CRSS_FORM_GRP" name="CRSS" />
<xs:element type="TEXT20_Type" name="CSO1" />
<xs:element type="TEXT20_Type" name="CSO2" />
<xs:element type="TEXT1_Type" name="DACT" />
<xs:element type="DATE_Type" name="DATED" />
<xs:element type="TEXT30_Type" name="DDALO" />
<xs:element type="TEXT8_Type" name="DDANO" />
<xs:element type="TEXT5_Type" name="DDAPR" />
<xs:element type="TEXT2_Type" name="DDASD" />
```

```
<xs:element type="TEXT4_Type" name="DDASF" />
<xs:element type="TEXT50_Type" name="DDASN" />
<xs:element type="TEXT4_Type" name="DDASS" />
<xs:element type="TEXT10_Type" name="DDATH" />
<xs:element type="DATE_Type" name="DDD" />
<xs:element type="DATE_Type" name="DDDO" />
<xs:element type="TEXT2_Type" name="DDQTY" />
<xs:element type="DELIVERY_ADDR_GRP" name="DELIVERY_ADDR_INFO" />
<xs:element type="TEXT4_Type" name="DELNUM" />
<xs:element type="TEXT6_Type" name="DEPT" />
<xs:element type="TEXT25_Type" name="DES" />
<xs:element type="TEXT25_Type" name="DESD" />
<xs:element type="TEXT4_Type" name="DFDT" />
<xs:element type="TEXT2_Type" name="DGOUT" />
<xs:element type="TEXT3_Type" name="DIDNUM" />
<xs:element type="TEXT35_Type" name="DIRNAME" />
<xs:element type="TEXT5_Type" name="DIRQTYA" />
<xs:element type="TEXT5_Type" name="DIRQTYNC" />
<xs:element type="DISCONNECT_GRP" name="DISCONNECT_INFO" />
<xs:element type="TEXT42_Type" name="DISC_ECCKT" />
<xs:element type="TEXT12_Type" name="DISC_NBR" />
<xs:element type="DL_FORM_GRP" name="DL" />
<xs:element type="TEXT4_Type" name="DLCI" />
<xs:element type="TEXT3_Type" name="DLEC_CCNA" />
<xs:element type="TEXT4_Type" name="DLNUM" />
<xs:element type="TEXT1_Type" name="DML" />
<xs:element type="TEXT4_Type" name="DNUM" />
<xs:element type="TEXT1_Type" name="DOI" />
<xs:element type="TEXT3_Type" name="DPA" />
<xs:element type="TEXT4_Type" name="DPULSE" />
<xs:element type="TEXT3_Type" name="DQTY" />
<xs:element type="TEXT3_Type" name="DRC" />
<xs:element type="DRS_FORM_GRP" name="DRS" />
<xs:element type="TEXT4_Type" name="DRTI" />
<xs:element type="TEXT15_Type" name="DSGCON" />
<xs:element type="TEXT3_Type" name="DSGNL" />
<xs:element type="DSG_GRP" name="DSG_INFO" />
<xs:element type="TEXT1_Type" name="DSPTCH" />
<xs:element type="WTN_Type" name="DSTN" />
<xs:element type="TEXT1_Type" name="DSTNACT" />
<xs:element type="TEXT3_Type" name="DSTNRQ" />
<xs:element type="DSTN_GRP" name="DSTN_INFO" />
<xs:element type="TEXT4_Type" name="DTGN" />
<xs:element type="TEXT4_Type" name="DTK" />
<xs:element type="TEXT1_Type" name="DTKACT" />
<xs:element type="TEXT10_Type" name="DTKID" />
<xs:element type="WTN_Type" name="DTLI" />
<xs:element type="TEXT17_Type" name="DTNR" />
<xs:element type="TEXT1_Type" name="DTNRACT" />
<xs:element type="TEXT4_Type" name="DTNRQ" />
```

```

<xs:element type="DTNR_GRP" name="DTNR_INFO" />
<xs:element type="DATE_TIME_Type" name="DT_TM_SENT" />
<xs:element type="AN_Type" name="EAN" />
<xs:element type="TEXT42_Type" name="ECCKT" />
<xs:element type="TEXT60_Type" name="EMAIL" />
<xs:element type="EU_FORM_GRP" name="EU" />
<xs:element type="TEXT1_Type" name="EUMI" />
<xs:element type="EU_BILL_GRP" name="EU_BILL_INFO" />
<xs:element type="TEXT1_Type" name="EXP" />
<xs:element type="TEXT1_Type" name="FA" />
<xs:element type="TEXT100_Type" name="FAINFO" />
<xs:element type="TEXT20_Type" name="FANSTN" />
<xs:element type="WTN_Type" name="FATN" />
<xs:element type="WTN_Type" name="FAX_NO" />
<xs:element type="TEXT4_Type" name="FBDL_CC" />
<xs:element type="TEXT3_Type" name="FBDL_CCNA" />
<xs:element type="TEXT1_Type" name="FBI" />
<xs:element type="TEXT5_Type" name="FEATURE" />
<xs:element type="TEXT512_Type" name="FEATURE_DETAIL" />
<xs:element type="FEATURE_GRP" name="FEATURE_INFO" />
<xs:element type="TEXT15_Type" name="FLOOR" />
<xs:element type="TEXT1_Type" name="HA" />
<xs:element type="HGI_FORM_GRP" name="HGI" />
<xs:element type="TEXT5_Type" name="HID" />
<xs:element type="TEXT1_Type" name="HLA" />
<xs:element type="TEXT20_Type" name="HNSTN" />
<xs:element type="TEXT2_Type" name="HNTYP" />
<xs:element type="TEXT3_Type" name="HNUM" />
<xs:element type="TEXT1_Type" name="HS" />
<xs:element type="WTN_Type" name="HTN" />
<xs:element type="TEXT512_Type" name="HTSEQ" />
<xs:element type="HUNT_DET_GRP" name="HUNT_DET_INFO" />
<xs:element type="TEXT15_Type" name="IMPCON" />
<xs:element type="IMP_GRP" name="IMP_INFO" />
<xs:element type="TEXT15_Type" name="INIT" />
<xs:element type="INIT_GRP" name="INIT_INFO" />
<xs:element type="INSIDE_WIRE_GRP" name="INSIDE_WIRE_INFO" />
<xs:element type="TEXT15_Type" name="ISPID" />
<xs:element type="TEXT5_Type" name="IWJK" />
<xs:element type="TEXT2_Type" name="IWJQ" />
<xs:element type="TEXT1_Type" name="IWO" />
<xs:element type="TEXT1_Type" name="JEOPARDY_ERROR_INDICATOR" />
<xs:element type="TEXT1_Type" name="LACT" />
<xs:element type="TEXT30_Type" name="LALO" />
<xs:element type="TEXT35_Type" name="LALOC" />
<xs:element type="TEXT8_Type" name="LANO" />
<xs:element type="TEXT5_Type" name="LAPR" />
<xs:element type="TEXT2_Type" name="LASD" />
<xs:element type="TEXT4_Type" name="LASF" />
<xs:element type="TEXT50_Type" name="LASN" />

```

```
<xs:element type="TEXT4_Type" name="LASS" />
<xs:element type="TEXT2_Type" name="LAST" />
<xs:element type="TEXT10_Type" name="LATH" />
<xs:element type="TEXT15_Type" name="LCON" />
<xs:element type="TEXT4_Type" name="LD1" />
<xs:element type="TEXT4_Type" name="LD2" />
<xs:element type="TEXT4_Type" name="LD3" />
<xs:element type="LINE_RESTRICT_GRP" name="LINE_RESTRICT_INFO" />
<xs:element type="WTN_Type" name="LINE_SHARED_TN" />
<xs:element type="LISTING_CONTROL_GRP" name="LISTING_CONTROL_INFO" />
<xs:element type="LISTING_IND_GRP" name="LISTING_IND_INFO" />
<xs:element type="LISTING_INST_GRP" name="LISTING_INST_INFO" />
<xs:element type="LISTING_TXT_GRP" name="LISTING_TXT_INFO" />
<xs:element type="TEXT1_Type" name="LIT" />
<xs:element type="TEXT1_Type" name="LMP" />
<xs:element type="TEXT1_Type" name="LNA" />
<xs:element type="TEXT4_Type" name="LNEX" />
<xs:element type="TEXT100_Type" name="LNFN" />
<xs:element type="TEXT50_Type" name="LNLN" />
<xs:element type="TEXT1_Type" name="LNPL" />
<xs:element type="TEXT4_Type" name="LNUM" />
<xs:element type="TEXT4_Type" name="LOC" />
<xs:element type="LOCATION_ACCESS_GRP" name="LOCATION_ACCESS_INFO" />
<xs:element type="TEXT3_Type" name="LOCNUM" />
<xs:element type="LOC_GRP" name="LOC_INFO" />
<xs:element type="TEXT4_Type" name="LPIC" />
<xs:element type="TEXT4_Type" name="LQTY" />
<xs:element type="LS_FORM_GRP" name="LS" />
<xs:element type="TEXT1_Type" name="LSCP" />
<xs:element type="LSNP_FORM_GRP" name="LSNP" />
<xs:element type="TEXT6_Type" name="LSO" />
<xs:element type="TEXT4_Type" name="LSP_AUTH" />
<xs:element type="DATE_Type" name="LSP_AUTH_DATE" />
<xs:element type="LSP_AUTH_GRP" name="LSP_AUTH_INFO" />
<xs:element type="TEXT15_Type" name="LSP_AUTH_NAME" />
<xs:element type="LSR_FORM_GRP" name="LSR" />
<xs:element type="TEXT1_Type" name="LSRRO" />
<xs:element type="LSR_BILL_GRP" name="LSR_BILL_INFO" />
<xs:element type="TEXT11_Type" name="LSR_NO" />
<xs:element type="TEXT11_Type" name="LST" />
<xs:element type="TEXT3_Type" name="LTC" />
<xs:element type="TEXT100_Type" name="LTEXT" />
<xs:element type="WTN_Type" name="LTN" />
<xs:element type="TEXT3_Type" name="LTXTY" />
<xs:element type="TEXT1_Type" name="LTY" />
<xs:element type="TEXT10_Type" name="LV1" />
<xs:element type="TEXT10_Type" name="LV2" />
<xs:element type="TEXT10_Type" name="LV3" />
<xs:element type="TEXT1_Type" name="LVL" />
<xs:element type="TEXT1_Type" name="MANUAL_IND" />
```

```
<xs:element type="MEET_POINT_GRP" name="MEET_POINT_INFO" />
<xs:element type="TEXT48_Type" name="MEGACENTNM" />
<xs:element type="MESSAGE_STATUS_Type" name="MESSAGE_STATUS" />
<xs:element type="TEXT1_Type" name="MI" />
<xs:element type="TEXT3_Type" name="MIL" />
<xs:element type="TEXT25_Type" name="NAME" />
<xs:element type="TEXT12_Type" name="NAN" />
<xs:element type="TEXT4_Type" name="NC" />
<xs:element type="TEXT12_Type" name="NCI" />
<xs:element type="TEXT1_Type" name="NCON" />
<xs:element type="TEXT12_Type" name="NICK" />
<xs:element type="TEXT1_Type" name="NIDR" />
<xs:element type="TEXT1_Type" name="NOSL" />
<xs:element type="TEXT1_Type" name="NOTYP" />
<xs:element type="NP_FORM_GRP" name="NP" />
<xs:element type="TEXT1_Type" name="NPDI" />
<xs:element type="TEXT1_Type" name="NPI" />
<xs:element type="TEXT1_Type" name="NPT" />
<xs:element type="TEXT8_Type" name="NPTG" />
<xs:element type="TEXT20_Type" name="NSTN" />
<xs:element type="TEXT3_Type" name="NVC" />
<xs:element type="TEXT4_Type" name="OCC" />
<xs:element type="TEXT3_Type" name="OCCNA" />
<xs:element type="TEXT1_Type" name="OMTN" />
<xs:element type="TEXT10_Type" name="ORD" />
<xs:element type="WTN_Type" name="OTN" />
<xs:element type="TEXT25_Type" name="PAGER" />
<xs:element type="PBX_GRP" name="PBX_INFO" />
<xs:element type="TEXT1_Type" name="PENDING_ORDER" />
<xs:element type="TEXT4_Type" name="PG_OF_" />
<xs:element type="TEXT4_Type" name="PIC" />
<xs:element type="TEXT80_Type" name="PLA" />
<xs:element type="TEXT100_Type" name="PLINFO" />
<xs:element type="TEXT20_Type" name="PLNSTN" />
<xs:element type="TEXT1_Type" name="PLS" />
<xs:element type="WTN_Type" name="PLTN" />
<xs:element type="TEXT1_Type" name="PMI" />
<xs:element type="TEXT16_Type" name="PON" />
<xs:element type="TEXT17_Type" name="PORTED_NBR" />
<xs:element type="TEXT2_Type" name="PORTTYP" />
<xs:element type="PORT_GRP" name="PORT_INFO" />
<xs:element type="TEXT38_Type" name="POTSSPLIT" />
<xs:element type="TEXT1_Type" name="POTSSPLITLOC" />
<xs:element type="TEXT7_Type" name="PRIBD" />
<xs:element type="TEXT25_Type" name="PRILOC" />
<xs:element type="PRILOC_GRP" name="PRILOC_INFO" />
<xs:element type="PRILOC_SERVICE_DETAILS_GRP" name="PRILOC_SERVICE_DETAILS" />
<xs:element type="TEXT20_Type" name="PRODUCT" />
<xs:element type="TEXT16_Type" name="PROJECT" />
<xs:element type="PS_FORM_GRP" name="PS" />
```

```
<xs:element type="TEXT6_Type" name="PSPEED" />
<xs:element type="TEXT1_Type" name="PTKCON" />
<xs:element type="WTN_Type" name="PTLI" />
<xs:element type="TEXT4_Type" name="PULSE" />
<xs:element type="DATE_Type" name="PURGEDATE" />
<xs:element type="TEXT4_Type" name="RDLCI" />
<xs:element type="TEXT42_Type" name="RECCKT" />
<xs:element type="RELATED_CIRCUIT_DET_GRP" name="RELATED_CIRCUIT_DET_INFO" />
<xs:element type="TEXT4_Type" name="RELEASE" />
<xs:element type="TEXT255_Type" name="REMARKS" />
<xs:element type="REMARKS_GRP" name="REMARKS_INFO" />
<xs:element type="TEXT2_Type" name="REQTYP" />
<xs:element type="TEXT1_Type" name="RESPONSE" />
<xs:element type="RFR_FORM_GRP" name="RFR" />
<xs:element type="TEXT6_Type" name="RLSO" />
<xs:element type="TEXT15_Type" name="ROOM_MAIL_STOP" />
<xs:element type="TEXT10_Type" name="RORD" />
<xs:element type="TEXT3_Type" name="ROUTE" />
<xs:element type="RPL_FORM_GRP" name="RPL" />
<xs:element type="TEXT16_Type" name="RPON" />
<xs:element type="RS_FORM_GRP" name="RS" />
<xs:element type="RSS_FORM_GRP" name="RSS" />
<xs:element type="TEXT1_Type" name="RSTTYP" />
<xs:element type="TEXT6_Type" name="RTI" />
<xs:element type="TEXT1_Type" name="RTR" />
<xs:element type="TEXT3_Type" name="RTY" />
<xs:element type="TEXT30_Type" name="SAN" />
<xs:element type="TEXT8_Type" name="SANO" />
<xs:element type="TEXT5_Type" name="SAPR" />
<xs:element type="TEXT2_Type" name="SASD" />
<xs:element type="TEXT4_Type" name="SASF" />
<xs:element type="TEXT50_Type" name="SASN" />
<xs:element type="TEXT4_Type" name="SASS" />
<xs:element type="TEXT10_Type" name="SATH" />
<xs:element type="TEXT25_Type" name="SBILLNM" />
<xs:element type="TEXT1_Type" name="SCA" />
<xs:element type="TEXT1_Type" name="SDI" />
<xs:element type="TEXT25_Type" name="SECLOC" />
<xs:element type="SECLOC_GRP" name="SECLOC_INFO" />
<xs:element type="SECLOC_SERVICE_DETAILS_GRP" name="SECLOC_SERVICE_DETAILS" />
<xs:element type="TEXT12_Type" name="SEC_NCI" />
<xs:element type="TEXT2_Type" name="SGNL" />
<xs:element type="SIGNAL_GRP" name="SIGNAL_INFO" />
<xs:element type="TEXT1_Type" name="SO" />
<xs:element type="TEXT7_Type" name="SPEC" />
<xs:element type="TEXT2_Type" name="SSIG" />
<xs:element type="TEXT2_Type" name="STATE" />
<xs:element type="TEXT25_Type" name="STREET" />
<xs:element type="TEXT2_Type" name="STYC" />
<xs:element type="TEXT1_Type" name="SUP" />
```

```

<xs:element type="ADDR_BASE4_GRP" name="SVC_ADDR" />
<xs:element type="TEXT2_Type" name="TCID" />
<xs:element type="TC_GRP" name="TC_INFO" />
<xs:element type="TEXT35_Type" name="TC_NAME" />
<xs:element type="TEXT1_Type" name="TC_OPT" />
<xs:element type="TEXT8_Type" name="TC_PER" />
<xs:element type="TC_SEC_GRP" name="TC_SEC_INFO" />
<xs:element type="WTN_Type" name="TC_TO_PRI" />
<xs:element type="WTN_Type" name="TC_TO_SEC" />
<xs:element type="TEXT1_Type" name="TDT" />
<xs:element type="TEXT17_Type" name="TEL_NO" />
<xs:element type="TEXT4_Type" name="TERS" />
<xs:element type="TEXT1_Type" name="TEST" />
<xs:element type="TEXT12_Type" name="TITLE1" />
<xs:element type="TEXT12_Type" name="TITLE1D" />
<xs:element type="TEXT12_Type" name="TL" />
<xs:element type="TEXT12_Type" name="TLD" />
<xs:element type="WTN_Type" name="TLI" />
<xs:element type="TEXT1_Type" name="TMKT" />
<xs:element type="TEXT3_Type" name="TNP" />
<xs:element type="WTN_Type" name="TNS" />
<xs:element type="TN_GRP" name="TN_INFO" />
<xs:element type="TEXT2_Type" name="TOA" />
<xs:element type="TEXT4_Type" name="TOS" />
<xs:element type="TEXT15_Type" name="TPID" />
<xs:element type="TEXT35_Type" name="TRACKING_ID" />
<xs:element type="TEXT12_Type" name="TSP" />
<xs:element type="TXN_INFO_GRP" name="TXN_INFO" />
<xs:element type="UNI_CIRCUIT_DET_GRP" name="UNI_CIRCUIT_DET_INFO" />
<xs:element type="TEXT5_Type" name="USOC" />
<xs:element type="TEXT1_Type" name="VCACT" />
<xs:element type="TEXT2_Type" name="VER" />
<xs:element type="VIRTUAL_CIRCUIT_DET_GRP" name="VIRTUAL_CIRCUIT_DET_INFO" />
<xs:element type="TEXT17_Type" name="VTA" />
<xs:element type="IMA_WO_ACK_RESP_Type" name="WO_ACK" />
<xs:element type="WO_REQ_Type" name="WO_REQ" />
<xs:element type="WO_RESP_Type" name="WO_RESP" />
<xs:element type="TEXT1_Type" name="WSOP" />
<xs:element type="WTN_Type" name="WSOP_TEL_NO" />
<xs:element type="WTN_Type" name="WTN" />
<xs:element type="TEXT3_Type" name="XLI" />
<xs:element type="TEXT5_Type" name="ZIP" />
= <xs:complexType name="ADDR_BASE1_GRP">
= <xs:annotation>
= <xs:documentation>Common Address fields to build from</xs:documentation>
  </xs:annotation>
= <xs:sequence>
  <xs:element minOccurs="0" ref="SAPR" />
  <xs:element minOccurs="0" ref="SANO" />
  <xs:element minOccurs="0" ref="SASF" />

```

```

<xs:element minOccurs="0" ref="SASD" />
<xs:element minOccurs="0" ref="SASN" />
<xs:element minOccurs="0" ref="SATH" />
<xs:element minOccurs="0" ref="SASS" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="ADDR_BASE2_GRP">
- <xs:annotation>
- <xs:documentation>Service Address w/o AFT</xs:documentation>
  </xs:annotation>
- <xs:complexContent>
- <xs:extension base="ADDR_BASE1_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="LD1" />
  <xs:element minOccurs="0" ref="LV1" />
  <xs:element minOccurs="0" ref="LD2" />
  <xs:element minOccurs="0" ref="LV2" />
  <xs:element minOccurs="0" ref="LD3" />
  <xs:element minOccurs="0" ref="LV3" />
  <xs:element minOccurs="0" ref="CITY" />
  <xs:element minOccurs="0" ref="STATE" />
  <xs:element minOccurs="0" ref="ZIP" />
  </xs:sequence>
  </xs:extension>
  </xs:complexContent>
  </xs:complexType>
- <xs:complexType name="ADDR_BASE3_GRP">
- <xs:annotation>
- <xs:documentation>Qwest specific Service Address</xs:documentation>
  </xs:annotation>
- <xs:complexContent>
- <xs:extension base="ADDR_BASE2_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="CALA" />
  <xs:element minOccurs="0" ref="AHN" />
  <xs:element minOccurs="0" ref="ROUTE" />
  <xs:element minOccurs="0" ref="BOX" />
  </xs:sequence>
  </xs:extension>
  </xs:complexContent>
  </xs:complexType>
- <xs:complexType name="ADDR_BASE4_GRP">
- <xs:complexContent>
- <xs:extension base="ADDR_BASE3_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="AFT" />
  </xs:sequence>
  </xs:extension>
  </xs:complexContent>
  </xs:complexType>

```

```

- <xs:complexType name="ADDR_BASE5_GRP">
- <xs:complexContent>
- <xs:extension base="ADDR_BASE1_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="CITY" />
  <xs:element minOccurs="0" ref="STATE" />
  <xs:element minOccurs="0" ref="ZIP" />
  <xs:element minOccurs="0" ref="FLOOR" />
  <xs:element minOccurs="0" ref="ROOM_MAIL_STOP" />
  <xs:element minOccurs="0" ref="AFT" />
  </xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="ADDR_SUPPLEMENTAL_GRP">
- <xs:annotation>
  <xs:documentation>Contains supplemental address information</xs:documentation>
  </xs:annotation>
- <xs:sequence>
  <xs:element minOccurs="0" ref="LD1" />
  <xs:element minOccurs="0" ref="LV1" />
  <xs:element minOccurs="0" ref="LD2" />
  <xs:element minOccurs="0" ref="LV2" />
  <xs:element minOccurs="0" ref="LD3" />
  <xs:element minOccurs="0" ref="LV3" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="ADMIN_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="PON" />
  <xs:element minOccurs="0" ref="VER" />
  <xs:element minOccurs="0" ref="LSRRO" />
  <xs:element minOccurs="0" ref="AN" />
  <xs:element minOccurs="0" ref="NAN" />
  <xs:element minOccurs="0" ref="DLEC_CCNA" />
  <xs:element minOccurs="0" ref="PG_OF_" />
  <xs:element minOccurs="0" ref="DSPTCH" />
  <xs:element minOccurs="0" ref="DDD" />
  <xs:element minOccurs="0" ref="APPTIME" />
  <xs:element minOccurs="0" ref="APT_CON" />
  <xs:element minOccurs="0" ref="DDDO" />
  <xs:element minOccurs="0" ref="DFDT" />
  <xs:element minOccurs="0" ref="PROJECT" />
  <xs:element minOccurs="0" ref="CHC" />
  <xs:element minOccurs="0" ref="TEST" />
  <xs:element minOccurs="0" ref="REQTYP" />
  <xs:element minOccurs="0" ref="ACT" />
  <xs:element minOccurs="0" ref="RSTTYP" />
  <xs:element minOccurs="0" ref="CIP" />
  <xs:element minOccurs="0" ref="CSO1" />

```

```

<xs:element minOccurs="0" ref="CSO2" />
<xs:element minOccurs="0" ref="PMI" />
<xs:element minOccurs="0" ref="MI" />
<xs:element minOccurs="0" ref="SUP" />
<xs:element minOccurs="0" ref="EXP" />
<xs:element minOccurs="0" ref="RTR" />
<xs:element minOccurs="0" ref="AENG" />
<xs:element minOccurs="0" ref="ALBR" />
<xs:element minOccurs="0" ref="SCA" />
<xs:element minOccurs="0" ref="AUTHORIZATION_INFO" />
<xs:element minOccurs="0" ref="PORTTYP" />
<xs:element minOccurs="0" ref="ACTL" />
<xs:element minOccurs="0" ref="OCCNA" />
<xs:element minOccurs="0" ref="OCC" />
<xs:element minOccurs="0" ref="APOT" />
<xs:element minOccurs="0" ref="LST" />
<xs:element minOccurs="0" ref="LSO" />
<xs:element minOccurs="0" ref="TOS" />
<xs:element minOccurs="0" ref="SPEC" />
<xs:element minOccurs="0" ref="NC" />
<xs:element minOccurs="0" ref="NCI" />
<xs:element minOccurs="0" ref="SEC_NCI" />
<xs:element minOccurs="0" ref="RPON" />
<xs:element minOccurs="0" ref="RORD" />
<xs:element minOccurs="0" ref="LSP_AUTH_INFO" />
<xs:element minOccurs="0" ref="NPDI" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="ALT_IMP_GRP">
- <xs:sequence>
- <xs:element minOccurs="0" ref="ALT_IMPCON" />
- <xs:element minOccurs="0" ref="TEL_NO" />
- <xs:element minOccurs="0" ref="PAGER" />
  </xs:sequence>
</xs:complexType>
- <xs:simpleType name="AN_Type">
- <xs:annotation>
- <xs:documentation>Account Number - NPA-NXX-LINE-CUS</xs:documentation>
  </xs:annotation>
- <xs:restriction base="xs:string">
- <xs:maxLength value="16" />
  </xs:restriction>
</xs:simpleType>
- <xs:complexType name="AUTHORIZATION_GRP">
- <xs:sequence>
- <xs:element minOccurs="0" ref="AGAATH" />
- <xs:element minOccurs="0" ref="DATED" />
- <xs:element minOccurs="0" ref="AUTHNM" />
  </xs:sequence>
</xs:complexType>

```

```

=<xs:complexType name="BA_BLOCK_GRP">
=<xs:sequence>
<xs:element minOccurs="0" ref="BA" />
<xs:element minOccurs="0" ref="BLOCK" />
</xs:sequence>
</xs:complexType>
=<xs:complexType name="BILL_GRP">
=<xs:sequence>
<xs:element minOccurs="0" ref="FBI" />
<xs:element minOccurs="0" ref="BILLNM" />
<xs:element minOccurs="0" ref="SBILLNM" />
<xs:element minOccurs="0" ref="BILL_ADDR_INFO" />
<xs:element minOccurs="0" ref="BILLCON" />
<xs:element minOccurs="0" ref="TEL_NO" />
</xs:sequence>
</xs:complexType>
=<xs:complexType name="CABLE_GRP">
=<xs:sequence>
<xs:element minOccurs="0" ref="CABCONNTYP" />
<xs:element minOccurs="0" ref="CABCONN" />
</xs:sequence>
</xs:complexType>
=<xs:complexType name="CAPTION_SLU_INDENT_GRP">
=<xs:sequence>
<xs:element minOccurs="0" ref="LVL" />
<xs:element minOccurs="0" ref="PLS" />
<xs:element minOccurs="0" ref="PLINFO" />
<xs:element minOccurs="0" ref="PLTN" />
<xs:element minOccurs="0" ref="PLNSTN" />
<xs:element minOccurs="0" ref="SO" />
<xs:element minOccurs="0" ref="FAINFO" />
<xs:element minOccurs="0" ref="FATN" />
<xs:element minOccurs="0" ref="FANSTN" />
</xs:sequence>
</xs:complexType>
=<xs:complexType name="CCNA_AUTH_INFO_GRP">
=<xs:annotation>
<xs:documentation>Qwest specific CCNA authorization information</xs:documentation>
</xs:annotation>
=<xs:sequence>
<xs:element ref="TPID" />
<xs:element ref="RELEASE" />
<xs:element ref="CCNA" />
<xs:element minOccurs="0" ref="CC" />
</xs:sequence>
</xs:complexType>
=<xs:complexType name="COMMON_BLOCK_GRP">
=<xs:sequence>
<xs:element minOccurs="0" ref="COS" />
<xs:element minOccurs="0" ref="XLI" />

```

```

<xs:element minOccurs="0" ref="DEPT" />
<xs:element minOccurs="0" ref="DPA" />
<xs:element minOccurs="0" ref="LOC" />
<xs:element minOccurs="0" ref="MIL" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="CONTACT_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="INIT_INFO" />
  <xs:element minOccurs="0" ref="IMP_INFO" />
  <xs:element minOccurs="0" ref="ALT_IMP_INFO" />
  <xs:element minOccurs="0" ref="DSG_INFO" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="CRSS_FORM_GRP">
- <xs:sequence>
  <xs:element type="TEXT18_Type" name="CB" minOccurs="0" />
  <xs:element type="TEXT5_Type" name="COS" minOccurs="0" />
  <xs:element type="CRSS_SD_GRP" name="STATION_DETAILS" minOccurs="0"
    maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="CRSS_SD_GRP">
- <xs:complexContent>
- <xs:extension base="SD_R_BASE_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="INSIDE_WIRE_INFO" maxOccurs="unbounded" />
  <xs:element minOccurs="0" ref="SGNL" />
  <xs:element minOccurs="0" ref="MEET_POINT_INFO" />
  <xs:element minOccurs="0" ref="LOCNUM" />
  <xs:element minOccurs="0" ref="LTC" />
  <xs:element minOccurs="0" ref="REMARKS_INFO" />
  </xs:sequence>
  </xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="CRS_ADMIN_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="CB" />
  <xs:element minOccurs="0" ref="CMSID" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="CRS_FORM_GRP">
- <xs:sequence>
  <xs:element type="CRS_ADMIN_GRP" name="ADMIN_INFO" minOccurs="0" />
  <xs:element type="COMMON_BLOCK_GRP" name="COMMON_BLOCK_INFO" minOccurs="0" />
  <xs:element type="CRS_SD_GRP" name="STATION_DETAILS" minOccurs="0"
    maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>

```

```

- <xs:complexType name="CRS_SD_GRP">
- <xs:complexContent>
- <xs:extension base="SD_R_BASE_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="INSIDE_WIRE_INFO" maxOccurs="unbounded" />
  <xs:element minOccurs="0" ref="SGNL" />
  <xs:element minOccurs="0" ref="LOCNUM" />
  <xs:element minOccurs="0" ref="TSP" />
  <xs:element minOccurs="0" ref="CLN" />
  <xs:element minOccurs="0" ref="LTC" />
  <xs:element minOccurs="0" ref="REMARKS_INFO" />
  </xs:sequence>
  </xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:simpleType name="DATE_TIME_Type">
- <xs:annotation>
  <xs:documentation>Date and Time - Format: CCYYMMDDHHmm (military time format)</xs:documentation>
</xs:annotation>
- <xs:restriction base="xs:string">
  <xs:maxLength value="12" />
</xs:restriction>
</xs:simpleType>
- <xs:simpleType name="DATE_Type">
- <xs:annotation>
  <xs:documentation>Date - Format: CCYYMMDD</xs:documentation>
</xs:annotation>
- <xs:restriction base="xs:string">
  <xs:maxLength value="8" />
</xs:restriction>
</xs:simpleType>
- <xs:complexType name="DELIVERY_ADDR_GRP">
- <xs:sequence>
- <xs:annotation>
  <xs:documentation>Note: DIRQTYA is no longer used with the IMA Release 24.0 and will be removed from the WSDL in the first release after the IMA 23.0 Release retires.</xs:documentation>
</xs:annotation>
  <xs:element minOccurs="0" ref="DELNUM" />
  <xs:element minOccurs="0" ref="DACT" />
  <xs:element minOccurs="0" ref="DDAPR" />
  <xs:element minOccurs="0" ref="DDANO" />
  <xs:element minOccurs="0" ref="DDASF" />
  <xs:element minOccurs="0" ref="DDASD" />
  <xs:element minOccurs="0" ref="DDASN" />
  <xs:element minOccurs="0" ref="DDATH" />
  <xs:element minOccurs="0" ref="DDASS" />
  <xs:element minOccurs="0" ref="DDALO" />
  <xs:element minOccurs="0" ref="LD1" />

```

```

<xs:element minOccurs="0" ref="LV1" />
<xs:element minOccurs="0" ref="LD2" />
<xs:element minOccurs="0" ref="LV2" />
<xs:element minOccurs="0" ref="LD3" />
<xs:element minOccurs="0" ref="LV3" />
<xs:element minOccurs="0" ref="CITY" />
<xs:element minOccurs="0" ref="STATE" />
<xs:element minOccurs="0" ref="ZIP" />
<xs:element minOccurs="0" ref="DIRQTYA" />
<xs:element minOccurs="0" ref="DIRQTYNC" />
</xs:sequence>
</xs:complexType>
= <xs:complexType name="DISCONNECT_GRP">
= <xs:sequence>
= <xs:element minOccurs="0" ref="DNUM" />
<xs:element minOccurs="0" ref="DISC_NBR" />
<xs:element minOccurs="0" ref="TC_INFO" />
</xs:sequence>
</xs:complexType>
= <xs:complexType name="DL_FORM_GRP">
= <xs:sequence>
= <xs:element minOccurs="0" ref="LISTING_CONTROL_INFO" />
<xs:element minOccurs="0" ref="LISTING_IND_INFO" />
<xs:element minOccurs="0" ref="LISTING_INST_INFO" />
<xs:element minOccurs="0" ref="LISTING_TXT_INFO" />
<xs:element minOccurs="0" ref="CAPTION_SLU_INDENT_INFO" maxOccurs="unbounded" />
<xs:element minOccurs="0" ref="DELIVERY_ADDR_INFO" maxOccurs="unbounded" />
<xs:element minOccurs="0" ref="REMARKS" />
</xs:sequence>
</xs:complexType>
= <xs:complexType name="DRS_FORM_GRP">
= <xs:sequence>
= <xs:element type="TEXT20_Type" name="ORD" minOccurs="0" />
<xs:element type="DRS_SD_GRP" name="SERVICE_DETAILS" minOccurs="0"
maxOccurs="unbounded" />
<xs:element minOccurs="0" ref="REMARKS_INFO" />
</xs:sequence>
</xs:complexType>
= <xs:complexType name="DRS_SD_GRP">
= <xs:sequence>
= <xs:element minOccurs="0" ref="DIDNUM" />
<xs:element minOccurs="0" ref="CKR" />
<xs:element minOccurs="0" ref="DTGN" />
<xs:element minOccurs="0" ref="DRTI" />
<xs:element minOccurs="0" ref="DTLI" />
<xs:element minOccurs="0" ref="DGOUT" />
<xs:element minOccurs="0" ref="DPULSE" />
<xs:element minOccurs="0" ref="DSGNL" />
<xs:element minOccurs="0" ref="DTKACT" />
<xs:element minOccurs="0" ref="DTK" />

```

```

<xs:element minOccurs="0" ref="DTKID" />
<xs:element minOccurs="0" ref="DTNR_INFO" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="DSG_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="DSGCON" />
  <xs:element minOccurs="0" ref="DRC" />
  <xs:element minOccurs="0" ref="TEL_NO" />
  <xs:element minOccurs="0" ref="FAX_NO" />
  <xs:element minOccurs="0" ref="EMAIL" />
  <xs:element minOccurs="0" ref="STREET" />
  <xs:element minOccurs="0" ref="FLOOR" />
  <xs:element minOccurs="0" ref="ROOM_MAIL_STOP" />
  <xs:element minOccurs="0" ref="CITY" />
  <xs:element minOccurs="0" ref="STATE" />
  <xs:element minOccurs="0" ref="ZIP" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="DSTN_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="DSTNACT" />
  <xs:element minOccurs="0" ref="DSTN" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="DTNR_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="DTNRACT" />
  <xs:element minOccurs="0" ref="DTNRQ" />
  <xs:element minOccurs="0" ref="DTNR" />
  <xs:element minOccurs="0" ref="DSTN_INFO" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="ERROR_INFO_Type">
- <xs:annotation>
  <xs:documentation>Contains the error information for the request
    message</xs:documentation>
  </xs:annotation>
- <xs:sequence>
  <xs:element type="TEXT14_Type" name="ERROR_CODE" />
  <xs:element type="TEXT255_Type" name="ERROR_MESSAGE" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="EU_BILL_GRP">
- <xs:complexContent>
  <xs:extension base="BILL_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="EAN" />
  </xs:sequence>
</xs:extension>

```

```

</xs:complexContent>
</xs:complexType>
- <xs:complexType name="EU_FORM_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="DQTY" />
  <xs:element minOccurs="0" ref="LOCATION_ACCESS_INFO" maxOccurs="unbounded" />
  <xs:element minOccurs="0" ref="IWO" />
  <xs:element minOccurs="0" ref="EU_BILL_INFO" />
  <xs:element minOccurs="0" ref="DISCONNECT_INFO" maxOccurs="unbounded" />
  <xs:element minOccurs="0" ref="REMARKS_INFO" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="FEATURE_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="FA" />
  <xs:element minOccurs="0" ref="FEATURE" />
  <xs:element minOccurs="0" ref="FEATURE_DETAIL" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="HGI_FORM_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="LOCNUM" />
  <xs:element minOccurs="0" ref="HNUM" />
  <xs:element minOccurs="0" ref="HA" />
  <xs:element minOccurs="0" ref="HID" />
  <xs:element minOccurs="0" ref="TLI" />
  <xs:element minOccurs="0" ref="HNTYP" />
  <xs:element minOccurs="0" ref="HTSEQ" />
  <xs:element minOccurs="0" ref="HUNT_DET_INFO" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="HUNT_DET_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="HLA" />
  <xs:element minOccurs="0" ref="NOTYP" />
  <xs:element type="TEXT17_Type" name="HTN" minOccurs="0" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="IMA_BASE_RESP_Type">
- <xs:sequence>
  <xs:element ref="CCNA_AUTH_INFO" />
  <xs:element ref="DT_TM_SENT" />
  <xs:element ref="MESSAGE_STATUS" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="IMA_REQ_BASE_Type" abstract="true">
- <xs:sequence>
  <xs:element ref="CCNA_AUTH_INFO" />
  <xs:element ref="DT_TM_SENT" />
</xs:sequence>

```

```

</xs:complexType>
- <xs:complexType name="IMA_REQ_Type" abstract="true">
- <xs:complexContent>
- <xs:extension base="IMA_REQ_BASE_Type">
- <xs:sequence>
- <xs:element minOccurs="0" ref="TXN_INFO" />
  </xs:sequence>
  </xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="IMA_RESP_Type" abstract="true">
- <xs:complexContent>
- <xs:extension base="IMA_BASE_RESP_Type">
- <xs:sequence>
- <xs:element minOccurs="0" ref="TXN_INFO" />
  </xs:sequence>
  </xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="IMA_WO_ACK_RESP_Type">
- <xs:annotation>
- <xs:documentation>Qwest Ack to Trading Partner</xs:documentation>
  </xs:annotation>
- <xs:complexContent>
- <xs:extension base="IMA_BASE_RESP_Type">
- <xs:sequence>
- <xs:element ref="TRACKING_ID" />
- <xs:element minOccurs="0" ref="PON" />
- <xs:element minOccurs="0" ref="VER" />
  </xs:sequence>
  </xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="IMP_GRP">
- <xs:sequence>
- <xs:element minOccurs="0" ref="IMPCON" />
- <xs:element minOccurs="0" ref="TEL_NO" />
- <xs:element minOccurs="0" ref="PAGER" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="INIT_GRP">
- <xs:sequence>
- <xs:element minOccurs="0" ref="INIT" />
- <xs:element minOccurs="0" ref="TEL_NO" />
- <xs:element minOccurs="0" ref="EMAIL" />
- <xs:element minOccurs="0" ref="FAX_NO" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="INSIDE_WIRE_GRP">
- <xs:sequence>

```

```

<xs:element minOccurs="0" ref="IWJK" />
<xs:element minOccurs="0" ref="IWJQ" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="LINE_RESTRICT_GRP">
- <xs:sequence>
<xs:element minOccurs="0" ref="PIC" />
<xs:element minOccurs="0" ref="LPIC" />
<xs:element minOccurs="0" ref="LSCP" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="LISTING_CONTROL_GRP">
- <xs:sequence>
<xs:element minOccurs="0" ref="LACT" />
<xs:element minOccurs="0" ref="FBDL_CCNA" />
<xs:element minOccurs="0" ref="FBDL_CC" />
<xs:element minOccurs="0" ref="ALI" />
<xs:element minOccurs="0" ref="RTY" />
<xs:element minOccurs="0" ref="LTY" />
<xs:element minOccurs="0" ref="STYC" />
<xs:element minOccurs="0" ref="TOA" />
<xs:element minOccurs="0" ref="DOI" />
<xs:element minOccurs="0" ref="DLNUM" />
<xs:element minOccurs="0" ref="DDQTY" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="LISTING_IND_GRP">
- <xs:sequence>
<xs:element minOccurs="0" ref="DML" />
<xs:element minOccurs="0" ref="NOSL" />
<xs:element minOccurs="0" ref="TMKT" />
<xs:element minOccurs="0" ref="BRO" />
<xs:element minOccurs="0" ref="DIRNAME" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="LISTING_INST_GRP">
- <xs:sequence>
<xs:element minOccurs="0" ref="LTN" />
<xs:element minOccurs="0" ref="NSTN" />
<xs:element minOccurs="0" ref="OMTN" />
<xs:element minOccurs="0" ref="LNPL" />
<xs:element minOccurs="0" ref="LNLN" />
<xs:element minOccurs="0" ref="LNFN" />
<xs:element minOccurs="0" ref="HS" />
<xs:element minOccurs="0" ref="HTN" />
<xs:element minOccurs="0" ref="HNSTN" />
<xs:element minOccurs="0" ref="DES" />
<xs:element minOccurs="0" ref="TL" />
<xs:element minOccurs="0" ref="TITLE1" />
<xs:element minOccurs="0" ref="DESD" />

```

```

<xs:element minOccurs="0" ref="TLD" />
<xs:element minOccurs="0" ref="TITLE1D" />
<xs:element minOccurs="0" ref="NICK" />
<xs:element minOccurs="0" ref="PLA" />
  </xs:sequence>
</xs:complexType>
= <xs:complexType name="LISTING_TXT_GRP">
= <xs:sequence>
<xs:element minOccurs="0" ref="SO" />
<xs:element minOccurs="0" ref="FAINFO" />
<xs:element minOccurs="0" ref="FATN" />
<xs:element minOccurs="0" ref="FANSTN" />
<xs:element minOccurs="0" ref="LTXTY" />
<xs:element minOccurs="0" ref="LTEXT" />
<xs:element minOccurs="0" ref="ADI" />
<xs:element minOccurs="0" ref="LAPR" />
<xs:element minOccurs="0" ref="LANO" />
<xs:element minOccurs="0" ref="LASF" />
<xs:element minOccurs="0" ref="LASD" />
<xs:element minOccurs="0" ref="LASN" />
<xs:element minOccurs="0" ref="LATH" />
<xs:element minOccurs="0" ref="LASS" />
<xs:element minOccurs="0" ref="LALO" />
<xs:element minOccurs="0" ref="FLOOR" />
<xs:element minOccurs="0" ref="ROOM_MAIL_STOP" />
<xs:element minOccurs="0" ref="BLDG" />
<xs:element minOccurs="0" ref="LALOC" />
<xs:element minOccurs="0" ref="LAST" />
  </xs:sequence>
</xs:complexType>
= <xs:complexType name="LOCATION_ACCESS_GRP">
= <xs:sequence>
<xs:element minOccurs="0" ref="LOCNUM" />
<xs:element type="TEXT60_Type" name="NAME" minOccurs="0" />
<xs:element minOccurs="0" ref="NCON" />
<xs:element type="ADDR_BASE4_GRP" name="ADDR" minOccurs="0" />
<xs:element minOccurs="0" ref="AAI" />
<xs:element minOccurs="0" ref="LCON" />
<xs:element minOccurs="0" ref="TEL_NO" />
<xs:element minOccurs="0" ref="EUMI" />
<xs:element minOccurs="0" ref="ACC" />
<xs:element minOccurs="0" ref="WSOP" />
<xs:element minOccurs="0" ref="WSOP_TEL_NO" />
<xs:element minOccurs="0" ref="CPE_MFR" />
<xs:element minOccurs="0" ref="CPE_MOD" />
  </xs:sequence>
</xs:complexType>
= <xs:complexType name="LOC_GRP">
= <xs:sequence>
<xs:element minOccurs="0" ref="LIT" />

```

```

<xs:element minOccurs="0" ref="LOCNUM" />
<xs:element minOccurs="0" ref="NAME" />
<xs:element minOccurs="0" ref="NCON" />
<xs:element minOccurs="0" ref="SVC_ADDR" />
<xs:element minOccurs="0" ref="AAI" />
<xs:element minOccurs="0" ref="RLSO" />
<xs:element minOccurs="0" ref="ALOC" />
<xs:element minOccurs="0" ref="LCON" />
<xs:element minOccurs="0" ref="ACTEL_NO" />
<xs:element minOccurs="0" ref="ALCON" />
<xs:element minOccurs="0" ref="AACTEL" />
<xs:element minOccurs="0" ref="IWO" />
<xs:element minOccurs="0" ref="ACC" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="LSNP_FORM_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="LQTY" />
  <xs:element type="LSNP_SD_GRP" name="SERVICE_DETAILS" minOccurs="0"
    maxOccurs="unbounded" />
  <xs:element minOccurs="0" ref="REMARKS_INFO" />
  </xs:sequence>
  </xs:complexType>
- <xs:complexType name="LSNP_SD_GRP">
- <xs:complexContent>
- <xs:extension base="SD_LS_BASE_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="LPIC" />
  <xs:element minOccurs="0" ref="BA_BLOCK_INFO" />
  <xs:element minOccurs="0" ref="PORT_INFO" />
  </xs:sequence>
  </xs:extension>
  </xs:complexContent>
  </xs:complexType>
- <xs:complexType name="LSP_AUTH_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="LSP_AUTH" />
  <xs:element minOccurs="0" ref="LSP_AUTH_DATE" />
  <xs:element minOccurs="0" ref="LSP_AUTH_NAME" />
  </xs:sequence>
  </xs:complexType>
- <xs:complexType name="LSR_BILL_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="BI1" />
  <xs:element minOccurs="0" ref="BAN1" />
  <xs:element minOccurs="0" ref="BI2" />
  <xs:element minOccurs="0" ref="BAN2" />
  <xs:element minOccurs="0" ref="ACNA" />
  <xs:element minOccurs="0" ref="VTA" />
  </xs:sequence>

```

```

</xs:complexType>
- <xs:complexType name="LSR_FORM_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="ADMIN_INFO" />
  <xs:element minOccurs="0" ref="LSR_BILL_INFO" />
  <xs:element minOccurs="0" ref="CONTACT_INFO" />
  <xs:element minOccurs="0" ref="REMARKS_INFO" />
  <xs:element minOccurs="0" ref="PENDING_ORDER" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="LS_FORM_GRP">
- <xs:sequence>
  <xs:element type="LS_SD_GRP" name="SERVICE_DETAILS" minOccurs="0"
    maxOccurs="unbounded" />
  <xs:element minOccurs="0" ref="REMARKS_INFO" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="LS_SD_GRP">
- <xs:complexContent>
- <xs:extension base="SD_LS_BASE_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="LINE_SHARED_TN" />
  <xs:element minOccurs="0" ref="LOCNUM" />
  <xs:element minOccurs="0" ref="DISC_NBR" />
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="MEET_POINT_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="POTSSPLIT" />
  <xs:element minOccurs="0" ref="POTSSPLITLOC" />
  <xs:element minOccurs="0" ref="CABLE_INFO" maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="MESSAGE_STATUS_Type">
- <xs:annotation>
  <xs:documentation>Overall message status</xs:documentation>
</xs:annotation>
- <xs:sequence>
  <xs:element type="RESPONSE_STATUS_Type" name="RESPONSE" />
  <xs:element type="ERROR_INFO_Type" name="ERROR_INFO" minOccurs="0"
    maxOccurs="unbounded" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="NP_FORM_GRP">
- <xs:sequence>
  <xs:element type="NP_SD_GRP" name="SERVICE_DETAILS" minOccurs="0"
    maxOccurs="unbounded" />
  <xs:element minOccurs="0" ref="REMARKS_INFO" />

```

```

</xs:sequence>
</xs:complexType>
- <xs:complexType name="NP_SD_GRP">
- <xs:complexContent>
- <xs:extension base="SD_BASE_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="LPIC" />
  <xs:element minOccurs="0" ref="BA_BLOCK_INFO" />
  <xs:element minOccurs="0" ref="PORT_INFO" />
  </xs:sequence>
  </xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="PBX_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="PTLI" />
  <xs:element minOccurs="0" ref="PTKCON" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="PORT_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="TDT" />
  <xs:element minOccurs="0" ref="PORTED_NBR" />
  <xs:element minOccurs="0" ref="TNP" />
  <xs:element minOccurs="0" ref="CFTN" />
  <xs:element minOccurs="0" ref="NPT" />
  <xs:element minOccurs="0" ref="RTI" />
  <xs:element minOccurs="0" ref="NPTG" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="PRILOC_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="PRILOC" />
  <xs:element minOccurs="0" ref="LOC_INFO" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="PRILOC_SERVICE_DETAILS_GRP">
- <xs:complexContent>
- <xs:extension base="RPL_SERVICE_DETAILS_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="SAN" />
  </xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="PS_FORM_GRP">
- <xs:sequence>
  <xs:element type="TEXT9_Type" name="ORD" minOccurs="0" />
  <xs:element type="PS_SD_GRP" name="SERVICE_DETAILS" minOccurs="0"
  maxOccurs="unbounded" />

```

```

<xs:element minOccurs="0" ref="REMARKS_INFO" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="PS_SD_GRP">
- <xs:complexContent>
- <xs:extension base="SD_RS_BASE_GRP">
- <xs:sequence>
- <xs:element minOccurs="0" ref="LOCNUM" />
- <xs:element minOccurs="0" ref="CKR" />
- <xs:element minOccurs="0" ref="CFA" />
- </xs:sequence>
- </xs:extension>
- </xs:complexContent>
- </xs:complexType>
- <xs:complexType name="RELATED_CIRCUIT_DET_GRP">
- <xs:sequence>
- <xs:element minOccurs="0" ref="RPON" />
- <xs:element minOccurs="0" ref="RECCKT" />
- <xs:element type="TEXT9_Type" name="RORD" minOccurs="0" />
- <xs:element minOccurs="0" ref="RDLCI" />
- </xs:sequence>
- </xs:complexType>
- <xs:complexType name="REMARKS_GRP">
- <xs:sequence>
- <xs:element minOccurs="0" ref="REMARKS" />
- <xs:element minOccurs="0" ref="MANUAL_IND" />
- </xs:sequence>
- </xs:complexType>
- <xs:simpleType name="RESPONSE_STATUS_Type">
- <xs:annotation>
- <xs:documentation>Identifies the response message status</xs:documentation>
- </xs:annotation>
- <xs:restriction base="xs:string">
- <xs:enumeration value="G" />
- <xs:enumeration value="M" />
- <xs:enumeration value="B" />
- </xs:restriction>
- </xs:simpleType>
- <xs:complexType name="RFR_FORM_GRP">
- <xs:sequence>
- <xs:element minOccurs="0" ref="UNI_CIRCUIT_DET_INFO" />
- <xs:element minOccurs="0" ref="REMARKS_INFO" />
- </xs:sequence>
- </xs:complexType>
- <xs:complexType name="RPL_FORM_GRP">
- <xs:sequence>
- <xs:element minOccurs="0" ref="DQTY" />
- <xs:element minOccurs="0" ref="PRILOC_INFO" />
- <xs:element minOccurs="0" ref="SECLOC_INFO" maxOccurs="unbounded" />
- <xs:element minOccurs="0" ref="BILL_INFO" />

```

```

<xs:element minOccurs="0" ref="DISC_ECCKT" />
<xs:element minOccurs="0" ref="REMARKS_INFO" />
<xs:element minOccurs="0" ref="PRILOC_SERVICE_DETAILS" />
<xs:element minOccurs="0" ref="SECLOC_SERVICE_DETAILS" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="RPL_SERVICE_DETAILS_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="LNA" />
  <xs:element minOccurs="0" ref="INSIDE_WIRE_INFO" maxOccurs="unbounded" />
  <xs:element minOccurs="0" ref="ECCKT" />
  <xs:element minOccurs="0" ref="CFA" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="RSS_FORM_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="ORD" />
  <xs:element type="RSS_SD_GRP" name="SERVICE_DETAILS" minOccurs="0"
    maxOccurs="unbounded" />
  <xs:element minOccurs="0" ref="REMARKS_INFO" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="RSS_SD_GRP">
- <xs:complexContent>
- <xs:extension base="SD_RS_BASE_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="PBX_INFO" />
  <xs:element minOccurs="0" ref="INSIDE_WIRE_INFO" maxOccurs="unbounded" />
  <xs:element minOccurs="0" ref="MEET_POINT_INFO" />
  </xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="RS_FORM_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="ORD" />
  <xs:element type="RS_SD_GRP" name="SERVICE_DETAILS" minOccurs="0"
    maxOccurs="unbounded" />
  <xs:element minOccurs="0" ref="REMARKS_INFO" />
  </xs:sequence>
</xs:complexType>
- <xs:complexType name="RS_SD_GRP">
- <xs:complexContent>
- <xs:extension base="SD_RS_BASE_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="PRIBD" />
  <xs:element minOccurs="0" ref="ISPID" />
  <xs:element minOccurs="0" ref="PBX_INFO" />
  <xs:element minOccurs="0" ref="SDI" />
  <xs:element minOccurs="0" ref="CFA" />

```

```

<xs:element minOccurs="0" ref="INSIDE_WIRE_INFO" maxOccurs="unbounded" />
  </xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="SD_BASE_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="LNUM" />
  <xs:element minOccurs="0" ref="LNA" />
  <xs:element minOccurs="0" ref="TC_INFO" />
</xs:sequence>
</xs:complexType>
- <xs:complexType name="SD_LS_BASE_GRP">
- <xs:complexContent>
- <xs:extension base="SD_BASE_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="SAN" />
  <xs:element type="TEXT42_Type" name="ECCKT" minOccurs="0" />
  <xs:element minOccurs="0" ref="INSIDE_WIRE_INFO" maxOccurs="unbounded" />
  <xs:element minOccurs="0" ref="MEET_POINT_INFO" />
  <xs:element minOccurs="0" ref="CKR" />
  <xs:element minOccurs="0" ref="TSP" />
  <xs:element minOccurs="0" ref="CFA" />
  <xs:element minOccurs="0" ref="NIDR" />
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="SD_RS_BASE_GRP">
- <xs:complexContent>
- <xs:extension base="SD_R_BASE_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="TSP" />
  <xs:element type="TEXT42_Type" name="ECCKT" minOccurs="0" />
  <xs:element minOccurs="0" ref="SIGNAL_INFO" />
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="SD_R_BASE_GRP">
- <xs:complexContent>
- <xs:extension base="SD_BASE_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="TN_INFO" />
  <xs:element minOccurs="0" ref="SAN" />
  <xs:element minOccurs="0" ref="MEGACENTNM" />
  <xs:element minOccurs="0" ref="LINE_RESTRICT_INFO" />
  <xs:element minOccurs="0" ref="BA_BLOCK_INFO" />
  <xs:element minOccurs="0" ref="FEATURE_INFO" maxOccurs="unbounded" />
  <xs:element minOccurs="0" ref="NIDR" />

```

```

</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="SECLOC_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="SECLOC" />
  <xs:element minOccurs="0" ref="LOC_INFO" />
  </xs:sequence>
  </xs:complexType>
- <xs:complexType name="SECLOC_SERVICE_DETAILS_GRP">
- <xs:complexContent>
- <xs:extension base="RPL_SERVICE_DETAILS_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="LOCNUM" />
  </xs:sequence>
  </xs:extension>
  </xs:complexContent>
  </xs:complexType>
- <xs:complexType name="SIGNAL_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="SGNL" />
  <xs:element minOccurs="0" ref="SSIG" />
  <xs:element minOccurs="0" ref="PULSE" />
  </xs:sequence>
  </xs:complexType>
- <xs:complexType name="TC_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="TC_OPT" />
  <xs:element minOccurs="0" ref="TC_TO_PRI" />
  <xs:element minOccurs="0" ref="TCID" />
  <xs:element minOccurs="0" ref="TC_NAME" />
  <xs:element minOccurs="0" ref="TC_SEC_INFO" maxOccurs="unbounded" />
  <xs:element minOccurs="0" ref="TC_PER" />
  </xs:sequence>
  </xs:complexType>
- <xs:complexType name="TC_SEC_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="TC_TO_SEC" />
  <xs:element minOccurs="0" ref="TCID" />
  <xs:element minOccurs="0" ref="TC_NAME" />
  </xs:sequence>
  </xs:complexType>
- <xs:simpleType name="TEXT1000_Type">
- <xs:restriction base="xs:string">
  <xs:maxLength value="1000" />
  </xs:restriction>
  </xs:simpleType>
- <xs:simpleType name="TEXT100_Type">
- <xs:restriction base="xs:string">

```

```

<xs:maxLength value="100" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT1024_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="1024" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT106_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="106" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT10_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="10" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT11_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="11" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT12_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="12" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT13_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="13" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT14_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="14" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT150_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="150" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT15_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="15" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT16_Type">
<xs:restriction base="xs:string">

```

```
<xs:maxLength value="16" />
  </xs:restriction>
</xs:simpleType>
- <xs:simpleType name="TEXT17_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="17" />
  </xs:restriction>
</xs:simpleType>
- <xs:simpleType name="TEXT18_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="18" />
  </xs:restriction>
</xs:simpleType>
- <xs:simpleType name="TEXT19_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="19" />
  </xs:restriction>
</xs:simpleType>
- <xs:simpleType name="TEXT1_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="1" />
  </xs:restriction>
</xs:simpleType>
- <xs:simpleType name="TEXT20_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="20" />
  </xs:restriction>
</xs:simpleType>
- <xs:simpleType name="TEXT22_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="22" />
  </xs:restriction>
</xs:simpleType>
- <xs:simpleType name="TEXT24_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="24" />
  </xs:restriction>
</xs:simpleType>
- <xs:simpleType name="TEXT254_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="254" />
  </xs:restriction>
</xs:simpleType>
- <xs:simpleType name="TEXT255_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="255" />
  </xs:restriction>
</xs:simpleType>
- <xs:simpleType name="TEXT256_Type">
- <xs:restriction base="xs:string">
```

```
<xs:maxLength value="256" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT25_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="25" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT27_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="27" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT2_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="2" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT30_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="30" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT32_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="32" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT35_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="35" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT36_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="36" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT38_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="38" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT3_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="3" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT400_Type">
<xs:restriction base="xs:string">
```

```
<xs:maxLength value="400" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT42_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="42" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT44_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="44" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT45_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="45" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT48_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="48" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT4_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="4" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT500_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="500" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT50_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="50" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT512_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="512" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT54_Type">
<xs:restriction base="xs:string">
<xs:maxLength value="54" />
</xs:restriction>
</xs:simpleType>
<xs:simpleType name="TEXT5_Type">
<xs:restriction base="xs:string">
```

```

<xs:maxLength value="5" />
</xs:restriction>
</xs:simpleType>
- <xs:simpleType name="TEXT60_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="60" />
  </xs:restriction>
  </xs:simpleType>
- <xs:simpleType name="TEXT67_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="67" />
  </xs:restriction>
  </xs:simpleType>
- <xs:simpleType name="TEXT6_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="6" />
  </xs:restriction>
  </xs:simpleType>
- <xs:simpleType name="TEXT7_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="7" />
  </xs:restriction>
  </xs:simpleType>
- <xs:simpleType name="TEXT80_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="80" />
  </xs:restriction>
  </xs:simpleType>
- <xs:simpleType name="TEXT8_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="8" />
  </xs:restriction>
  </xs:simpleType>
- <xs:simpleType name="TEXT999_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="999" />
  </xs:restriction>
  </xs:simpleType>
- <xs:simpleType name="TEXT9_Type">
- <xs:restriction base="xs:string">
- <xs:maxLength value="9" />
  </xs:restriction>
  </xs:simpleType>
- <xs:complexType name="TN_GRP">
- <xs:sequence>
  <xs:element minOccurs="0" ref="NPI" />
  <xs:element minOccurs="0" ref="TLI" />
  <xs:element minOccurs="0" ref="TERS" />
  <xs:element minOccurs="0" ref="TNS" />
  <xs:element minOccurs="0" ref="OTN" />

```

```

    </xs:sequence>
  </xs:complexType>
<xs:complexType name="TXN_INFO_GRP">
  <xs:annotation>
    <xs:documentation>Qwest specific TXN INFO group</xs:documentation>
  </xs:annotation>
  <xs:sequence>
    <xs:element type="TEXT22_Type" name="TXNUM" minOccurs="0" />
    <xs:element type="TEXT1_Type" name="TXACT" minOccurs="0" />
    <xs:element type="TEXT1_Type" name="TXTYP" minOccurs="0" />
  </xs:sequence>
</xs:complexType>
<xs:complexType name="UNI_CIRCUIT_DET_GRP">
  <xs:sequence>
    <xs:element minOccurs="0" ref="CKR" />
    <xs:element type="TEXT42_Type" name="ECCKT" minOccurs="0" />
    <xs:element minOccurs="0" ref="INSIDE_WIRE_INFO" />
    <xs:element minOccurs="0" ref="CFA" />
    <xs:element minOccurs="0" ref="NVC" />
    <xs:element minOccurs="0" ref="PSPEED" />
    <xs:element minOccurs="0" ref="LMP" />
    <xs:element minOccurs="0" ref="VIRTUAL_CIRCUIT_DET_INFO" maxOccurs="unbounded" />
  </xs:sequence>
</xs:complexType>
<xs:complexType name="VIRTUAL_CIRCUIT_DET_GRP">
  <xs:sequence>
    <xs:element minOccurs="0" ref="LNEX" />
    <xs:element minOccurs="0" ref="VCACT" />
    <xs:element minOccurs="0" ref="DLCI" />
    <xs:element minOccurs="0" ref="CIR" />
    <xs:element minOccurs="0" ref="BC" />
    <xs:element minOccurs="0" ref="BE" />
    <xs:element minOccurs="0" ref="RELATED_CIRCUIT_DET_INFO" />
  </xs:sequence>
</xs:complexType>
<xs:complexType name="WO_REQ_Type">
  <xs:complexContent>
    <xs:extension base="IMA_REQ_BASE_Type">
      <xs:sequence>
        <xs:element minOccurs="0" ref="LSR" />
        <xs:element minOccurs="0" ref="EU" />
        <xs:element minOccurs="0" ref="HGI" maxOccurs="unbounded" />
        <xs:element minOccurs="0" ref="RS" />
        <xs:element minOccurs="0" ref="RSS" />
        <xs:element minOccurs="0" ref="LS" />
        <xs:element minOccurs="0" ref="NP" />
        <xs:element minOccurs="0" ref="LSNP" />
        <xs:element minOccurs="0" ref="PS" />
        <xs:element minOccurs="0" ref="RFR" />
        <xs:element minOccurs="0" ref="RPL" />
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

```

<xs:element minOccurs="0" ref="CRS" />
<xs:element minOccurs="0" ref="CRSS" />
<xs:element minOccurs="0" ref="DRS" />
<xs:element minOccurs="0" ref="DL" maxOccurs="unbounded" />
  </xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:complexType name="WO_RESP_Type">
- <xs:annotation>
- <xs:documentation>For Qwest internal use only</xs:documentation>
  </xs:annotation>
- <xs:complexContent>
- <xs:extension base="IMA_RESP_Type">
- <xs:sequence>
- <xs:element ref="PON" />
<xs:element ref="VER" />
<xs:element ref="DDD" />
<xs:element ref="ACT" />
<xs:element ref="SUP" />
<xs:element minOccurs="0" ref="LSR_NO" />
<xs:element minOccurs="0" ref="PURGEDATE" />
<xs:element minOccurs="0" ref="JEOPARDY_ERROR_INDICATOR" />
<xs:element ref="PRODUCT" />
  </xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
- <xs:simpleType name="WTN_Type">
- <xs:annotation>
- <xs:documentation>Working Telephone Number</xs:documentation>
  </xs:annotation>
- <xs:restriction base="xs:string">
<xs:maxLength value="12" />
  </xs:restriction>
</xs:simpleType>
</xs:schema>
</types>
- <message name="submitLsr">
<part xmlns:partns="http://www.qwest.com/ima/XMLSchema" name="request"
  element="partns:WO_REQ" />
</message>
- <message name="submitLsrResponse">
<part xmlns:partns="http://www.qwest.com/ima/XMLSchema" name="result"
  element="partns:WO_ACK" />
</message>
- <portType name="OrderWebServicePort">
- <operation name="submitLsr">
<input message="tns:submitLsr" />
<output message="tns:submitLsrResponse" />

```

```
</operation>
</portType>
= <binding type="tns:OrderWebServicePort" name="OrderWebServicePort">
  <soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http" />
= <operation name="submitLsr">
  <soap:operation style="document" soapAction="" />
= <input>
  <soap:body use="literal" />
  </input>
= <output>
  <soap:body use="literal" />
  </output>
</operation>
</binding>
= <service name="OrderWebService">
= <port name="OrderWebServicePort" binding="tns:OrderWebServicePort">
  <soap:address location="https://ixgprod.ordering.qwest.com:443/imaOrder/order" />
  </port>
</service>
</definitions>
```