


## Actiontec® 1520 and 1524

### How to Block Web Sites


1. Open your Web browser (Microsoft® Internet Explorer or Netscape®). In the location or address bar, type **192.168.0.1**. Select **Enter**.




2. Select **Setup / Configuration**.



3. Select **Advanced Setup** from the options on the left.



4. Select **Begin Advanced Setup**.



5. Follow the instructions on the screen to select the options you want, using the **Add** and **Remove** buttons. Select **Next**. Then select **Save and Restart** in the bottom left of the screen.

The screenshot shows the Actiontec web interface for configuring website blocking. At the top, the Actiontec logo is displayed in a black banner. Below the logo is a navigation bar with links for [ Main ], [ Setup ], [ Status ], [ Utilities ], and [ Help ]. The main content area is divided into a left sidebar and a central panel. The sidebar, titled "Advanced Setup", lists various configuration options: WAN IP Address, Wireless Settings, LAN IP Address, DHCP Server, Services Blocking, Website Blocking, VPN Pass Through, Remote Management, Port Forwarding, DMZ Hosting, Firewall, Dynamic Routing, NAT, Static Routing, and MAC Address Cloning. At the bottom of the sidebar is a "Save and Restart" button. The central panel is titled "Website Blocking" and contains two paragraphs of instructions. The first paragraph explains how to add a website by entering its name (e.g., www.actiontec.com) into a text box and clicking the "Add" button. The second paragraph explains how to remove a website by selecting it from the "Blocked Website List" and clicking the "Remove" button. Below the instructions are four buttons: "Add", "Remove", "Back", and "Next". The "Blocked Website List" is currently empty. At the bottom of the page, a copyright notice reads "Copyright 2001-2002 Actiontec Electronics Inc."

6. Select the **Save and Restart** button.



7. When the Power LED stops flashing, the configuration is complete.

